




AULB2028

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES	COLOR	:MATT WHITE
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT	PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)	INSTALLATION	:RECESS CONCEAL CEILING
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)	APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.


MODEL	DIMENSION(mm.)			LAMP	LUMEN	LAMP TYPE
	Ø	W	H	HOLDER	(MAX)	
AULB2028	87	70	60	G5.3 / GU10		




GU10



G5.3



70mm





AULB2029

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES	COLOR	:BLACK
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT	PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)	INSTALLATION	:RECESS CONCEAL CEILING
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)	APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)			LAMP	LUMEN	LAMP TYPE
	Ø	W	H	HOLDER	(MAX)	
AULB2029	87	70	60	G5.3 / GU10		





AULB2030

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES	COLOR	:MATT WHITE
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT	PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)	INSTALLATION	:RECESS CONCEAL CEILING
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)	APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)			LAMP	LUMEN	LAMP TYPE
	Ø	W	H	HOLDER	(MAX)	
AULB2030	87	70	60	G5.3 / GU10		

