light PLUS

TRACK LIGHT

LPLB9007-D




LPLB9007-D-3

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)

COLOR	:MATT WHITE, BLACK, WHITE
PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
INSTALLATION	:SURFACE MOUNT
APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)		LAMP	LUMEN	LAMP TYPE
	∅	W	HOLDER	(MAX)	
LPLB9007-D-3	50	30	E27		



light PLUS

TRACK LIGHT

LPLB9007-D




LPLB9007-D-10

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)
COLOR	:MATT WHITE, BLACK, WHITE
PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
INSTALLATION	:SURFACE MOUNT
APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)		LAMP	LUMEN	LAMP TYPE
	∅	W	HOLDER	(MAX)	
LPLB9007-D-10	50	100	E27		



light PLUS

TRACK LIGHT

LPLB9007-D




LPLB9007-D-20

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)
COLOR	:MATT WHITE, BLACK, WHITE
PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
INSTALLATION	:SURFACE MOUNT
APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)		LAMP	LUMEN	LAMP TYPE
	∅	W	HOLDER	(MAX)	
LPLB9007-D-20	50	200	E27		



TRACK LIGHT

LPLB9007-D



LPLB9007-D-30

SPECIFICATION

HOUSING	:HIGH COLD-ROLLED STEEL SHEET FORMED BY HIGH QUALITY MACHINES
SURFACE TREATMENT	:ION-PHOSPHATE AND ANTI-RUST FINISHED WITH UV RESISTANT POLYESTER POWDER COAT
REFLECTOR	:HIGH GRADE ANODIZED ALUMINIUM (SPECULAR)
DIFFUSER	:VANDAL RESISTANT TEMPERED GLASS (FROSTED)
COLOR	:MATT WHITE, BLACK, WHITE
PROTECTION CLASS	:PROTECTION CLASS EQUIVALENT TO IP 44
INSTALLATION	:SURFACE MOUNT
APPLICATION	:OFFICE BUILDING, HOSPITAL, DEPARTMENT STORE HOTEL, RESTAURANT,GOVERNMENTAL BUILDING SHOP, RESIDENTIAL, ETC.

MODEL	DIMENSION(mm.)		LAMP	LUMEN	LAMP TYPE
	∅	W	HOLDER	(MAX)	
LPLB9007-D-30	50	300	E27		

