

SMART LINEAR LIGHTING SYSTEM

Gus Lighting

GUS Enterprise Co., Ltd.


52/39 Suthisan Winitchai Rd. Samsen Nai Sub-district
hayathai District, Bangkok 10400

Tel: +66(61)5455-978 E-mail: sales9.gus@gmail.com




PROFESSIONAL LINEAR ALUMINUM PROFILE


INSTALLATION METHODS




Surface Mounted Diagram



Installing profiles to ceiling




Installation of driver , light source pc cover and end cap




Complete Fixed


INSTALLATION METHODS




Pendant Installation Diagram



○ Cord Installed To Profile




Nail Into The Ceiling




Complete Fixed


INSTALLATION METHODS




Wall Mounted Diagram



① Installing profiles to wall




② Installation of driver, light source pc cover and end cap




③ Complete Fixed


INSTALLATION METHODS



Wall Mounted Diagram



① Installing profiles to wall




② Installation of driver, light source pc cover and end cap Complete Fixed

INSTALLATION METHODS



Recessed Installation Diagram




○ Clip Installed To Profile


○ Push Into The Slot

○ Complete Fixed

INSTALLATION METHODS



Recessed Installation Diagram




○ Clip Installed To Profile

○ Insert directly into the slot

○ Complete Fixed

>LJ\$' (\$



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&Kf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&Ki Xe j gXi \ek&F gXc

Maximum length 13M

Application : Commercial lighting&Office lighting




j`mli Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&YΔ

GUS—007

>LJ\$' (\$



Gif [I Zt =\Xk i \j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&Ki Xe j gXi \ek&F gXc

Maximum length 13M

Application TCommercial lighting&Office lighting




j`mli Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&YΔ


GUS—008

8ZZ\j f i \j




Le kkl d

8ZZ\j f i \j



Le kkl d

>LJ\$(')



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kxkfe: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$k,

G: &PC cover 1-f j k\ [&ki Xej gXi \ek&F gXc

Maximum length 13M

Application : Commercial lighting&Office lighting




j`mi YdZb n_k

I \d Xi bj tcustomized design size and spec avXdyd

GUS—009

>LJ\$(' * \$D



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kxkfe: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$k,

G: &PC cover 1Frosted&ki Xej gXi \ek&F gXc

Maximum length 13M

Application TCommercial lighting&Office lighting




j`mi YdZb n_k

I \d Xi bj tcustomized design size and spec avXdyd


GUS—010

8ZZ\j f i \j




Le'kd d

8ZZ\j f i \j



Le'kd d

>LJ\$(' * \$8




Gif [I Zt =\Xk i\j

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

8ZZ\j f i \j



Le'kkl d

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k [&K i X e j g X i \ e k & F g X c

Maximum length 13M


Application : Commercial lighting & Office lighting



j`am i YdZb n_k

I \ d X i b j t customized design size and spec avX'dYd

>LJ\$(' * 9\$D




Gif [I Zt =\Xk i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kX'dKf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.

8ZZ\j f i \j



Le'kkl d

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&K i X e j g X i \ e k & F g X c

Maximum length 13M


Application T Commercial lighting & Office lighting



j`am i YdZb n_k

I \ d X i b j t customized design size and spec avX'dYd

>LJ\$(' * 9\$8




Gif [I Zt =\Xk i\j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

8ZZ\j f i \j



Le'kkl d

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&ki Xej gXi \ek&F gXc

Maximum length 13M


Application : Commercial lighting&Office lighting



j`am i YdZb n`k

I \d Xi bj tcustomized design size and spec avX'dYd

>LJ\$(' +




Gif [I Zt =\Xk i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kXdkf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

8ZZ\j f i \j



Le'kkl d

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&ki Xej gXi \ek&F gXc

Maximum length 13M


Application TCommercial lighting&Office lighting



j`am i YdZb n`k

I \d Xi bj tcustomized design size and spec avX'dYd

>LJ\$' ,



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kxkfe: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$k,

G: &PC cover 1-f j k\ [&ki Xej gXi \ek&F gXc


Maximum length 13M

Application : Commercial lighting&Office lighting




I \d Xi bj tcustomized design size and spec avXdYd

8ZVj j f i \j



Le'kkl d

>LJ\$' .



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j kxkfe: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$k,

G: &PC cover 1Frosted&ki Xej gXi \ek&F gXc


Maximum length 13M

Application TCommercial lighting&Office lighting



I \d Xi bj tcustomized design size and spec avXdYd

>LJ\$() \$



Gif [I Zt =\XK i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&Xkf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&KI Xe j g Xi \ek&F g Xc

Maximum length 13M


Application : Commercial lighting&Office lighting



j`am i Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&Y&

>LJ\$() \$8



Gif [I Zt =\XK i\j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&KI Xe j g Xi \ek&F g Xc

Maximum length 13M


Application TCommercial lighting&Office lighting



j`am i Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&Y&

>LJ\$(* \$D




Gif [I Zt =\Xk i\j

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

8ZZ\j f i \j



Le'kkl d

Product Spec

Material 1 8C- ' - * \$K,

G: &PC cover 1-f j k\ [&Ki Xe j gXi \ek&F gXc

Maximum length 13M

Application : Commercial lighting&Office lighting




j`mk i YdZb n_k

I \d Xi bj tcustomized design size and spec avXdYd



>LJ\$(' ' D



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&Kf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k [&K i X e j g X i \ e k & F g X c

Maximum length 13M

Application : Commercial lighting&Office lighting




j`mli Y&Zb n`k

I \ d X i b j tcustomized design size and spec avX&Y&Δ

GUS—020

>LJ\$(' ' 8



Gif [I Zt =\Xk i \j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&K i X e j g X i \ e k & F g X c

Maximum length 13M

Application TCommercial lighting&Office lighting





j`mli Y&Zb n`k

I \ d X i b j tcustomized design size and spec avX&Y&Δ


GUS—021

8ZVj j f i \j




Le k k d

8ZVj j f i \j



Le k k d

>LJ\$(+)



Gif [I Zt =\Xk i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&Xkf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&KI Xe j g Xi \ ek&F g Xc

Maximum length 13M

Application : Commercial lighting&Office lighting




j`amli Y&Zb n_`k

I \d Xi bj tcustomized design size and spec avX&Y&Δ

GUS—022

>LJ\$(,



Gif [I Zt =\Xk i\j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&KI Xe j g Xi \ ek&F g Xc

Maximum length 13M

Application TCommercial lighting&Office lighting




j`amli Y&Zb n_`k

I \d Xi bj tcustomized design size and spec avX&Y&Δ

GUS—022


GUS—023

8ZZ\j j f i \j




Le'kkl d

8ZZ\j j f i \j



Le'kkl d

>LJ\$' +



Gif [I Zt =\Xk i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&Xkf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&Ki Xe j g Xi \ek&F gXc

Maximum length 13M

Application : Commercial lighting&Office lighting



j`mli Y&Zb n_`k

I \d Xi bj tcustomized design size and spec avX&YΔ

GUS—024

>LJ\$' ,



Gif [I Zt =\Xk i\j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&Ki Xe j g Xi \ek&F gXc

Maximum length 13M

Application TCommercial lighting&Office lighting




j`mli Y&Zb n_`k

I \d Xi bj tcustomized design size and spec avX&YΔ


GUS—025

8ZV\j f i \j




Le kkl d

8ZV\j f i \j



Le kkl d

>LJ\$' +'



Gif [I Zt =\Xk i\j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&ki Xe j g Xi \ek&F gXc

Maximum length 13M


Application : Commercial lighting&Office lighting



j`mi YdZb n`k


I \d Xi bj tcustomized design size and spec avX'dYd

8Z\j j f i \j



Le'kkl d

>LJ\$' ,'



Gif [I Zt =\Xk i\j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&ki Xe j g Xi \ek&F gXc

Maximum length 13M


Application TCommercial lighting&Office lighting



j`mi YdZb n`k


I \d Xi bj tcustomized design size and spec avX'dYd

8Z\j j f i \j



Le'kkl d

>LJ\$' -



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$K,

G: &PC cover 1-f j k [&Ki Xe j g Xi \ek&F g Xc

Maximum length 13M


Application : Commercial lighting&Office lighting



j`mi YdZb n`k


I \d Xi bj tcustomized design size and spec avX'dYd

8ZZ\j f i \j



Le'kd d

>LJ\$' .



Gif [I Zt =\Xk i \j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C- ' - * \$K,

G: &PC cover 1Frosted&Ki Xe j g Xi \ek&F g Xc

Maximum length 13M


Application TCommercial lighting&Office lighting



j`mi YdZb n`k


I \d Xi bj tcustomized design size and spec avX'dYd

8ZZ\j f i \j



Le'kd d

>LJ\$)' +\$



Gif [I Zt =\Xk i \j

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

@j k&akf e: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1-f j k\ [&ki Xe j gXi \ek&F gXc

Maximum length 13M

Application : Commercial lighting&Office lighting




j`amli Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&YΔ

GUS—030

>LJ\$)' , \$



Gif [I Zt =\Xk i \j

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - * \$K,

G: &PC cover 1Frosted&ki Xe j gXi \ek&F gXc

Maximum length 13M

Application TCommercial lighting&Office lighting




j`amli Y&Zb n`k

I \d Xi bj tcustomized design size and spec avX&YΔ


GUS—031

8ZZ\j j f i \j




L e k k d

8ZZ\j j f i \j



L e k k d

>LJ\$' +\$9



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material 1 8C-' - *\$K,

G: &PC cover 1-f j k\ [&KI Xe j g Xi \ek&F gXc


Maximum length 13M

Application : Commercial lighting&Office lighting




I \d Xi bj tcustomized design size and spec avXdYd

8ZZ\j f i` \j



>LJ\$' , \$9



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material 1 8C-' - *\$K,

G: &PC cover 1Frosted&KI Xe j g Xi \ek&F gXc


Maximum length 13M

Application TCommercial lighting&Office lighting




I \d Xi bj tcustomized design size and spec avXdYd

8ZZ\j f i` \j



GUS-1201H




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—034

GUS-1202H




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS—035

GUS-1201



Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks: customized design size and spec available


GUS—036

Accessories



Unit:mm

GUS-1202



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks: customized design size and spec available


GUS—037

Accessories



Unit:mm

GUS-1206




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




Remarks: customized design size and spec available

GUS—038



GUS-1616



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—039

Accessories



Unit:mm

GUS-1616-90



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—040

Accessories



Unit:mm

GUS-1616B



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—041

Accessories



GUS-1616B-90



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—042

Accessories



GUS-1203



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting




GUS—043

Accessories




Unit:mm

Remarks:customized design size and spec available



GUS-1204M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—044

Accessories



Unit:mm

GUS-1204A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—045

Accessories



Unit:mm

GUS-1414M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—046

Accessories



Unit:mm

GUS-1414A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—047

Accessories



Unit:mm

GUS-1806 (Bandable)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—048

Accessories



Unit:mm

GUS-1913



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—049

Accessories



Unit:mm

GUS-2010



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



GUS—050



Accessories




Unit:mm

Remarks:customized design size and spec available

APPLICATION SCENE



GUS-2015M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—051

Accessories



Unit:mm

GUS-2015A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—052

Accessories



Unit:mm

GUS-2020-M




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—053

GUS-2020-A




Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—054

GUS-2320-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—055

Accessories



Unit:mm

GUS-2320-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—056


Accessories



Unit:mm

GUS—056

GUS-2626-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—057

Accessories



Unit:mm

GUS-2626-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—058

Accessories



Unit:mm

GUS-3010-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—059

Accessories



Unit:mm

GUS-3010-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available


Accessories



Unit:mm

GUS—060

GUS-3020-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—061

Accessories



Unit:mm

GUS-3020-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting





silver black white

Remarks:customized design size and spec available


GUS—062

Accessories



Unit:mm

GUS-3030



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—063

Accessories



Unit:mm

GUS-3030-F



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—064

Accessories



Unit:mm

GUS-401-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—065

Accessories



Unit:mm

GUS-401-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—066


Accessories



Unit:mm

GUS—066

GUS-402



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—067

Accessories



Unit:mm

GUS-403



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light ,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—068

Accessories



Unit:mm

GUS-404 (For underground)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Accessories




Unit:mm


Remarks:customized design size and spec available

GUS—069

APPLICATION SCENE



GUS-405-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—070

Accessories



Unit:mm

GUS-405-A



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—071

Accessories



Unit:mm

GUS-3520-M




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—072



GUS-3535-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white



Remarks:customized design size and spec available

GUS—073

GUS-3535B-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—074

GUS-4030-M



Accessories



PC/ PC cover :Frosted/Transparent/Opal

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—075

GUS-5020-M




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Accessories



Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—076

GUS-5035-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—077

Accessories



Unit:mm

GUS-5035B-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available


Accessories




Unit:mm

GUS—078

GUS-5532-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—079

GUS-6035-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—080

GUS-7035-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white


Remarks:customized design size and spec available

GUS—081

GUS-7520-M



Accessories



Unit:mm

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—082

GUS-7635-M



Accessories




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—083

GUS-8035-M



Accessories




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS—084

GUS-10235-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Accessories




Remarks:customized design size and spec available

APPLICATION SCENE ▶



GUS-12050-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available



GUS—086

Accessories



Unit:mm

GUS-15050-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available



GUS—087

Accessories



Unit:mm

GUS-18050-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



GUS—088



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-20050-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available


Accessories



Unit:mm

GUS—089

GUS-3566-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—090

Accessories



Unit:mm

GUS-5050-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available


GUS—091

Accessories



Unit:mm

GUS-5070-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Accessories



Unit:mm


Remarks:customized design size and spec available



APPLICATION SCENE



GUS-5075M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting





silver black white


Remarks:customized design size and spec available

GUS—093

Accessories



GUS-5575-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white



Remarks:customized design size and spec available

GUS—094

Accessories



GUS-7090-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



GUS—095


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-7676-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



GUS—096

Remarks:customized design size and spec available


Accessories



Unit:mm

GUS—096

GUS-10270-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white


Accessories



Remarks:customized design size and spec available



GUS-3520-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-3535-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-3535B-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-4035-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-5035-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-5035B-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-5020-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-5532-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available

GUS-5575-A



Accessories



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal



Maximum length : 3M

Application : Commercial lighting/Office lighting




Remarks:customized design size and spec available

GUS-6035-A



Accessories



Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting




Remarks:customized design size and spec available

GUS-6613-A



Accessories



Unit:mm

Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting





silver

black


white

Remarks: customized design size and spec available

APPLICATION SCENE



GUS-7520-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 6M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-7635-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of Seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 6M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-7676-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 6M



Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-9035-A




Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 6M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-9535A




Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 6M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-10035A




Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 6M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-30



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : . 3.6M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-60



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 33.6M


Application :Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories




Unit:mm

Accessories



Unit:mm

GUS-108



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-2623



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-3573-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



GUS—120


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-109



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



GUS—121

Remarks:customized design size and spec available


Accessories



Unit:mm

GUS—121

GUS-110



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-111



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-5550-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-5070S



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M



Application :Commercial lighting/Office lighting



silver black white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-8075-S



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

GUS—126


Accessories




Unit:mm

Remarks:customized design size and spec available

APPLICATION SCENE



GUS-4215



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-5015



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-4290-M



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white


Accessories




Unit:mm

Remarks:customized design size and spec available

APPLICATION SCENE ▶



GUS-301



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting




GUS—130

Remarks:customized design size and spec available

Accessories



GUS-302



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



GUS—131



Remarks:customized design size and spec available

Accessories



GUS—131

GUS-303



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-304



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-305



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-306



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M



Application :Commercial lighting/Office lighting



silver black white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-309




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-310




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.



Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-311




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

APPLICATION SCENE ▶



GUS-503 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

Accessories



GUS-504 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available



GUS-505 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available



Unit:mm

GUS-506 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available



Unit:mm

GUS-513 (For Skirting lighting)




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-514 (For Skirting lighting)




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-515 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

APPLICATION SCENE ▶



GUS-501



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available



Unit:mm

GUS-502



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available



Unit:mm

GUS-507 (For 18mm board)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-508 (For 8mm glass)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting




silver black white

Remarks:customized design size and spec available



Unit:mm

GUS-509 (For 10mm glass)




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-510 (For 10mm board)




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-511 (For 18mm board)




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm



Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M


Application : Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-512




Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.



Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M


Application :Commercial lighting/Office lighting



silver black white

Remarks:customized design size and spec available

GUS-101-M (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-101-A (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-103-M (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-103-A (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-204 (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-204-1 (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories 配件



Unit:mm

GUS-205 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories 配件



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white

Remarks:customized design size and spec available

GUS-205-1 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories 配件



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white

Remarks:customized design size and spec available

GUS-1010M (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-1010-A (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-1201 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth, it is necessary to preset the size slot of proximate matter, then fill the proximate matter, finally installing led strip light. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting





black



white

Remarks:customized design size and spec available

GUS-1202 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light, PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black



white

Remarks:customized design size and spec available

GUS-1203 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting





black



white

Remarks:customized design size and spec available

GUS-1616 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white

Remarks:customized design size and spec available

GUS-1204-M (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting




black

white



Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-1204-A (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black

white


Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-2015M (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting





black



white

Remarks:customized design size and spec available

GUS-2015A (Black Series)



Anodized Black Profile + Black Diffuser

Product Features

Light is even and smooth,it is necessary to preset the size slot of proximate matter,then fill the proximate matter, finally installing led strip light.No dark shadows,achieve the effect of Seeing the light while lamp is invisible.Constant voltage led strip light is recommend.

Installation:Embedded in wall or ceiling

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal

Maximum length : 3M

Application :Commercial lighting/Office lighting




black



white


Remarks:customized design size and spec available

Accessories



Unit:mm

Accessories



Unit:mm

GUS-507 (Black Series)



Anodized Black Profile + Black Diffuser


Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Accessories



Unit:mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal

Maximum length : 3M

Application : Commercial lighting/Office lighting



black




white

Remarks:customized design size and spec available



GUS-503 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm


Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting




GUS—175

Accessories



Remarks:customized design size and spec available

GUS-513 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.


Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting



Remarks:customized design size and spec available



Accessories



Unit:mm

GUS—176

GUS-514 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 40w/meter. Suggest with 2pcs DC12V/24V 2835 120led/meter led strip light, PCB size not over 26mm

Product Spec

Material : AL6063-T5

PC/ PC cover :Frosted/Transparent/Opal


Maximum length : 3M

Application : Commercial lighting/Office lighting





Remarks:customized design size and spec available

Accessories



Unit:mm

GUS-515 (For Skirting lighting)



Product Features

Light is even and smooth, installing led strip light, then fixed the clips, finally installing the aluminium profiles. No dark shadows, achieve the effect of seeing the light while lamp is invisible. Constant voltage led strip light is recommend.

Installation: Surface mounted installation

Max watt: Less than 18w/meter. Suggest with 1pcs DC12V/24V 2835 192led/meter led strip light,PCB size not over 5mm.

Product Spec

Material : AL6063-T5

PC/ PC cover : Frosted/Transparent/Opal


Maximum length : 3M

Application :Commercial lighting/Office lighting
































Remarks:customized design size and spec available

Accessories



Unit:mm

PRODUCT CODE

Model	Picture	Size	Exterior color	Installation	Max watt	Recommend Light source	Accessories
GUS-3535-M		35x35x6000mm	 银silver  黑black  白white		40W / Meter	2pcs DC12V/24V 2835 120led/meter led strip light	
GUS-5575-M		55x75x6000mm	 银silver  黑black  白white		50W / Meter	2pcs DC12V/24V 2835 120led/meter led strip light	
GUS-7676-M		76x76x6000mm	 银silver  黑black  白white		70W / Meter	2pcs DC12V/24V 2835 120led/meter led strip light	
GUS-3535-A		50.4x35x6000mm	 银silver  黑black  白white		40W / Meter	2pcs DC12V/24V 2835 120led/meter led strip light	
GUS-5575-A		70x75x6000mm	 银silver  黑black  白white		50W / Meter	2pcs DC12V/24V 2835 120led/meter led strip light	